ELSEVIER

Journal of Organometallic Chemistry 651 (2002) 165–166

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Contents of Volume 651

Editorial 1

The reactivity of new (1,5-cyclooctadiene)rhodium acylpyrazolonates towards N- and P-donor ligands: X-ray structures of [Rh(1,5-COD)Q^s], [Rh(1,5-COD)(phen)]$Q^s \cdot 0.5H_2O$ (HQ^s = 1-phenyl-3-methyl-4-(2-thenoyl)-pyrazol-5-one) and $[Rh(1,5\text{-}COD)Br]_2$
C. Pettinari, F. Marchetti, A. Cingolani, G. Bianchini, A. Drozdov, V. Vertlib, S. Troyanov 5

Non-catalyzed addition reactions of $Cl_3SiSiCl_3$ with 1,2-diketones, 1,2-quinones and with a 1,4-quinone
J. Yang, J.G. Verkade 15

Synthesis and characterization of 2-oxacycloalkylideneruthenium(II) complexes: X-ray crystal structure of the 2-oxacycloheptylidene complex $[Ru\{=\overline{COCH_2(CH_2)_3C}H_2\}(\eta^5\text{-}C_9H_7)(PPh_3)_2][PF_6] \cdot CH_2Cl_2$
M.P. Gamasa, J. Gimeno, B.M. Martín-Vaca, R. Isea, A. Vegas 22

Synthesis and reactivity of the rhodium monocarbollide complexes [1-NH=CMe_2-2-Cl-2-PPh_3-*closo*-2,1-$RhCB_{10}H_{10}$] and [1-NH_3-2-Cl-2-PPh_3-*closo*-2,1-$RhCB_{10}H_{10}$]
J.A. Kautz, D.A. Kissounko, N.S. Kissounko, F.G.A. Stone 34

New linked di-germanocenes and di-stannocenes
J. Rouzaud, M. Joudat, A. Castel, F. Delpech, P. Rivière, H. Gornitzka, J.M. Manriquez, I. Chavez 44

Organometallic complexes of ruthenium(II) with *N*,*N*-dialkylcarbamato as the supporting ligand
D. Belli Dell'Amico, F. Calderazzo, L. Labella, F. Marchetti, E. Sbrana 52

Substitution reactions of $[\{Co(\eta^5\text{-}C_5H_5)\}_2\{Fe(CO)_2(PPh_3)\}(\mu_3\text{-}S)(\mu_3\text{-}CS)]$
A.R. Manning, A.J. Palmer 60

The first carbene-*C*,*N* chelate tetracarbonyl dihalogeno and carbene-*C*,*O* chelate tetracarbonyl benzochinone tungsten complexes
R. Stumpf, N. Burzlaff, B. Weibert, H. Fischer 66

Steric effects in alkylalane dioldiates: $[^tBuAl(OC(CH_3)_2CH_2C(CH_3)_2O)]_2$ a new (monoalkyl)alane *O*,*O*′-chelate complex
W. Ziemkowska, S. Kwaśniewska, R. Wróblewski, R. Anulewicz-Ostrowska 72

Characterization of a metallocene/co-catalyst system supported on silica by Fourier-Transform Raman spectroscopy
A. van der Pol, J.P.C. van Heel, R.H.A.M. Meijers, R.J. Meier, M. Kranenburg 80

Chiral sulfur diphosphazanes derived from S-$(Ph_2P)_2N(CHMePh)$ and its rhodium(I), (III) and iridium(III) complexes. Crystal structures of $Ph_2P(S)N(CHMePh)PPh_2$, $\{Ph_2P(S)\}_2N(CHMePh)$ and $[(Cp^*)MCl\{\eta^2\text{-}P,S\text{-}Ph_2PNHP(S)Ph_2\}]BF_4$, $Cp^* = \eta^5\text{-}C_5Me_5$; M = Rh, Ir
E. Simón-Manso, M. Valderrama, P. Gantzel, C.P. Kubiak 90

Synthesis, spectroscopic and structural aspects of some tetraorganodistannoxanes with internally functionalized oxime: crystal and molecular structures of $[\{R_2Sn(ON=C(Me)py)\}_2O]_2$ (R = Bu^n and Et) and 2-$NC_5H_4C(Me)$=NOH
V. Sharma, R.K. Sharma, R. Bohra, R. Ratnani, V.K. Jain, J.E. Drake, M.B. Hursthouse, M.E. Light 98

Heterodimetallic palladium(II) compounds containing terdentate $[Csp^2(ferrocene),N,N']^-$ ferrocenyl ligands
C. López, A. Caubet, S. Pérez, X. Solans, M. Font-Bardía 105

Synthesis of novel oxo complexes of tungsten and molybdenum with various chalcogen-bridged chelating bis(aryloxo) ligands and their catalytic behavior for ring-opening metathesis polymerization
Y. Takashima, Y. Nakayama, H. Yasuda, A. Harada 114

CH and PC bond activations of PMe_2Ph ligands by an octahedral Ru_6 cluster
R.D. Adams, B. Captain, W. Fu, M.D. Smith 124

High order cycloaddition reactions of $M(CO)_3$-coordinated *N*-cyanoazepine with alkynes; M: Cr, Mo, W
I. Amour Morkan 132

Iridium complex-catalyzed carbonylation of allylic phosphates
R. Takeuchi, Y. Akiyama 137

Cyclopalladated complexes of tertiary arylamines as highly efficient catalysts using in the Heck reactions
F. Yang, Y. Zhang, R. Zheng, J. Tang, M. He 146

Errata 149
Author Index of Volume 651 159
Subject Index of Volume 651 161
Contents of Volume 651 165